

Monitors



SureSigns VM3

Just what you need in a portable bedside monitor



SureSigns VM3. Vital

You are doing more than ever before. Pressures on your time and attention are increasing. Trust Philips to give you exactly what you need to help care for your patients. The SureSigns VM3, with ECG, respiration, and pulse oximetry is an easy-to-use, compact monitor.

Every Philips SureSigns monitor blends vital measurement and monitoring capabilities with convenience and reliability. Basic patient monitoring — and better patient care — have never been more clear.

Easy to learn and easy to love

The VM3, like all SureSigns monitors, is easy to set up, easy to learn, easy to use, easy to support, and, above all, easy to love. Intuitive navigation puts your most commonly used features at your fingertips. The crisp color display is bright and easy to read, even in low-light situations. SureSigns VM3 is lightweight, yet durable, with a comfortable handle for easy mobility, and a battery life of 4 hours.

Connect to the SureSigns VSV: the simplest way to be everywhere at once

Having a clear picture of each patient's status, at a single glance, can help relieve stress on care teams. The Philips SureSigns Vital Signs Viewer is an affordable, dependable, and simple way to add the benefits of central viewing and alarming without the complexity or expense of a traditional PC-based central station. Connect up to 12 SureSigns VM monitors at a time. It's one more way Philips is making it easier to free yourself to do exactly what you need to do to care for your patients.

All the support you need

Because the SureSigns VM3 is from Philips, it's backed by high-quality technology and support that makes patient care easier. Software upgrades, via the USB port, are remarkably quick and easy. The sleek modular design simplifies set up and repair. And all Philips monitors come with a warranty for your peace of mind.



The SureSigns VSV allows you to check the status of up to 12 patients at a glance.



to your day.

Integrated bedrail hanger for maximum flexibility.

Large 20.3 cm (8.4") color display with up to 3 waveforms and numerics is bright and easy to read.

Sturdy handle and rugged housing for easy portability.

Lightweight at only 3.1 kg (6.9 lbs).

Lithium ion battery is standard.


Bar code scanner for convenient entry of patient ID (optional).

USB port for easy software upgrades.

Fixed keys for quick access to main functions.

Integrated strip recorder for convenient documentation (optional).

Up to **96 hours** of measurement trends.



3-lead ECG with pacemaker detection, including a "leads off" indicator.

Philips SpO₂ technology compatible with a wide variety of adult, pediatric, and neonatal sensors from Philips, Nellcor®, and Masimo®.

* Adapter cable required.

Product specifications	
Width, height, depth	W: 26 cm (10.2"), H: 22 cm (8.6"), D: 14.5 cm (5.7")
Weight	3.1 kg (6.9 lbs) , excluding optional recorder
Screen	20.3 cm (8.4") SVGA TFT-AM LCD
SpO ₂	<ul style="list-style-type: none"> Meets EN ISO 9919 standard Measurement range: 0-100% Accuracy depends on sensor
ECG	<ul style="list-style-type: none"> 3-lead, heart rate range: 15 – 300 bpm Respiration rate range: 4 – 150 rpm
Battery	<ul style="list-style-type: none"> Lithium ion, 11.1 V Operating time: 4 hours with continuous monitoring
Data output	HL7 format, via Ethernet port
Patients	Adult, pediatric, neonatal

Supplies included*	To re-order
Adult finger SpO ₂ sensor	M1191BL
3-lead ECG lead set with grabber cable	989803143171 (IEC)
Recorder paper (5 rolls)	989803136891

Also available	To order
Wall mount	989803144011
Roll stand with basket	989803144001
Bar code scanner kit	989803147821

The simplest way to be everywhere at once

Connect with the SureSigns Vital Signs Viewer to show status from up to 12 patient monitors at a time.

Getting started

Each monitor comes with set-up guide, instructions for use, quick reference cards, user training DVD, and service manual on CD.

Philips SureSigns VM3 available in India only.



Supplies for the SureSigns VM3 include a wide selection of disposable and reusable SpO₂ sensors, all designed for accuracy, performance, and durability.



Wall mount for the SureSigns VM3

allows for lateral positioning and also for tilt and swivel adjustments.

* Additional supplies available. Please contact your Philips representative for more information.

- 863077 SureSigns VM3
- R01 Recorder (optional)
- A01 Supplies included
- A02 Supplies purchased separately
- 863067 SureSigns VSV



© 2008 Koninklijke Philips Electronics N.V.
All rights are reserved. Philips Medical Systems Nederland B.V. reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

Nellcor is a registered trademark of Nellcor Puritan Bennett, Inc.
Masimo is a registered trademark of Masimo Corporation.

Philips Healthcare is part of Royal Philips Electronics

www.philips.com/healthcare
healthcare@philips.com
fax: +31 40 27 64 887

Printed in The Netherlands
4522 962 24181/862 * FEB 2008

Philips Healthcare
Global Information Center
P.O. Box 1286
5602 BG Eindhoven
The Netherlands